## **Report Data Reference**

Documentation of parameters added in the report.data object.

## Container label in pack and pick article orders

Parameter	Туре	Desctiption	When present
packline	Integer	The actual packing line number.	Always.
lotid	String	The LOT ID entered in the job settings.	Always.
tu_lu	Integer	Number of TU in one LU.	Always.
cu_tu	Integer	Number of CU in one TU.	Always.
rfid	String	GRAI of the container for this LU.	When printed after registration.
cus	Integer	Quantity picked in CU.	When printed after registration.
pus	Number	Quantity picked in PU.	When printed after registration.
stackpos	Integer	Stacking position (bottom box $=$ 1).	When stacking with stackheight $> 1$ .

## **Container label in MDE customer orders**

Since 2.24.6.0

19.05.2024 23:55

Parameter	Туре	Desctiption	When present
luid	Integer	ID of the logistic unit created in orderpicks. Also avaitable in selections as key "luid".	Only when Central System Settings/GuiConfig/OrderGenMode is BPS.
erporder	Integer	Key in t_erporders referencing the order sent to the ERP. Also available in selections as key "t_erporders".	Only when Central System Settings/GuiConfig/OrderGenMode is ERP.
trip	Integer	Key in t_trips referencing the trip.	Always.
tripdate	Date	Trip/delivery date.	Always.
partner	Integer	Key in t_partners.	Always.
article	Integer	Key in t_articles.	Always.
price	Number	Total price for the customer.	Always.
containers	Integer	Number of containers.	Always.
grais	Array of String	Registered GRAI codes of the container(s). The list may be empty if no GRAI codes where registered. containers will still be 1 in this case.	Always.

From: https://bps.ibk-software.com/ - **BPS WIKI** 

Permanent link: https://bps.ibk-software.com/dok:reportdata?rev=1650094508



Last update: 16.04.2022 07:35